



Dimensions

3MA010-T4  (File name: Page 695 or Ending 24)


- 2-position single NC type: Grommet lead wire



- C-connector: (C */C1/C2 */C3)



- D-connector: (D */D1/D2 */D3)



4SA/B0

4SA/B1

4GA/B

MN4GA/B

4GA/B
(master)

MN3S0/
MN4S0

4TB

4L2-4/
LMF0

4KA/B

4F

PV5/
CMF

3MA/B0

3PA/B

P/M/B

NP/NAP/
NVP

4F*0E

HMV/
HSV

Uniwire
system

SKH

PCD/
FS/FD

3 port direct acting valve
Discrete


3MB0 Series

Discrete valve: Sub base porting

Dimensions



3MB010-M3  (File name: Page 695 or Ending 24)

- 2-position single NC type: Grommet lead wire



- C-connector: (C */C1/C2 */C3)


- D-connector: (D */D1/D2 */D3)



Dimensions



3MB019-00

- Discrete solenoid valve for pilot: Grommet lead wire



- C-connector: (C */C1/C2 */C3)

- D-connector: (D */D1/D2 */D3)



4SA/B0

4SA/B1

4GA/B

MN4GA/B

4GA/B (master)

MN3S0/ MN4S0

4TB

4L2-4/ LMF0

4KA/B

4F

PV5/ CMF

3MA/B0

3PA/B

P/M/B

NP/NAP/ NVP

4F**0E

HMV/ HSV

Uniwire system

SKH

PCD/ FS/FD

3 port direct acting valve Discrete